



The WORLD-Pallet of the type 1 (according DIN EN 13698-1)
with the following dimensions 800 x 1200 x 144 mm


View from above




View from below



Inboard profile



Cross-sectional view



Serial No.	No. Of pieces	Identification	Nominal measurement of the components	Minimum measurement of board + admissible tolerances
1	2	Edge cover board	1200 x 145 x 22	1200+3 x 142+8 x 22+2
2	1	Middle cover board	1200 x 145 x 22	1200+3 x 142+8 x 22+2
3	2	Interior cover board	1200 x 100 x 22	1200+3 x 97+6 x 22+2
4	2	Edge runner boards	1200 x 100 x 22	1200+3 x 97+6 x 22+2
5	1	Middle runner board	1200 x 145 x 22	1200+3 x 142+8 x 22+2
6	3	Lateral board	800 x 145 x 22	800+3 x 142+8 x 22+3
7	6	Block	145 x 100 x 78	142+8 x 97+6 x 78+1
8	3	Block	145 x 145 x 78	142+8 x 142+8 x 78+1

The WORLD-pallet is designed for the following loads during support or bearing on shelves or on the fork of a ground conveyor:

- **1.200 kg** (Nominal load) if the load is arbitrarily distributed on the surface of the pallet
- **1.700 kg** if the load is uniformly distributed on the surface of the pallet
- **2.200 kg** if the load is holohedrally and uniformly distributed in a compact form on the entire surface of the pallet
- **6.000 kg** load range at the lower Pallet, with full-surface stacking